



NRAT BEARING CO.,LTD.

50,000 mm x 90,000 mm x 51,6 mm NTN
UC210D1 JAPAN Bearing 50X90X51,6



Bearing No. UC210D1

UC210D1 Bearing 2D drawings and 3D CAD models

Size	50x90x51.6 mm
Bore Diameter	50,000 mm
Outer Diameter	90,000 mm
Width	51,6 mm
d	50,000 mm
D	90,000 mm
B	51,6 mm
C	24 mm
Category	Insert Bearings Spherical OD
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.787
EAN	4547359504101
Product Group	M06110
Inner Race Profile	Wide Inner Ring
Outer Race Profile	Spherical
Relubricatable	Yes
Seal Type	Single Lip Land Riding
Mounting Method	Set Screw
Rolling Element	Ball Bearing
Snap Ring	No
Long Description	50MM Bore; Wide Inner Ring; Ball Bearing; 51.6MM Length Thru Bore; 24MM Outer Race Width; 90MM



NRAT BEARING CO.,LTD.

	Outside Diameter; Relubricatable; Single Lip Land Riding Seal; Set Screw Mounting Method; No Snap Ring
Inch - Metric	Metric
Other Features	Single Row Light Duty Steel Cage Has Flinger Metric
Category	Insert Bearings
UNSPSC	31171536
Harmonized Tariff Code	8482.10.50.00
Noun	Bearing
Keyword String	Insert
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UC210D1
Weight / LBS	1.72
Outer Race Width	0.945 Inch 24 Millimeter
Bore	1.969 Inch 50 Millimeter
Outside Diameter	3.543 Inch 90 Millimeter
Length Thru Bore	2.031 Inch 51.6 Millimeter
bore diameter:	50 mm
fillet radius:	1.5 mm
outside diameter:	90 mm
radial dynamic load capacity:	35000 N
outer ring width:	25 mm
radial static load capacity:	23200 N
inner ring width:	51.6 mm
bearing material:	Through Hardened Steel
bore type:	Round
finish/coating:	Uncoated
locking device:	Set Screw Collar
maximum rpm:	3100 RPM



NRAT BEARING CO.,LTD.

duty type:	Standard Duty
seal type:	Contact
overall width:	51.60 mm
series:	UC2
operating temperature range:	-40 to 120 ° C
manufacturer product page:	Click here