



NRAT BEARING CO.,LTD.

70,000 mm x 125,000 mm x 74,6 mm NTN
UC214D1 JAPAN Bearing 70x125x74.6



Bearing No. UC214D1

UC214D1 Bearing 2D drawings and 3D CAD models

Size	70x125x74.6 mm
Bore Diameter	70,000 mm
Outer Diameter	125,000 mm
Width	74,6 mm
d	70,000 mm
D	125,000 mm
B	74,6 mm
C	33 mm
Category	Insert Bearings Spherical OD
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	2.1
EAN	4547359232950
Product Group	M06110
Inner Race Profile	Wide Inner Ring
Outer Race Profile	Spherical
Relubricatable	Yes
Seal Type	Single Lip Land Riding
Mounting Method	Set Screw
Rolling Element	Ball Bearing
Snap Ring	No
Long Description	70MM Bore; Wide Inner Ring; Ball Bearing; 74.6MM Length Thru Bore; 33MM Outer Race Width; 125MM



NRAT BEARING CO.,LTD.

	Outside Diameter; Relubricatable; Single Lip Land Riding Seal; Set Screw Mounting Method; No Snap Ring
Inch - Metric	Metric
Other Features	Single Row Light Duty Steel Cage Has Flinger Metric
Category	Insert Bearings
UNSPSC	31171536
Harmonized Tariff Code	8482.10.50.00
Noun	Bearing
Keyword String	Insert
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UC214D1
Weight / LBS	4.63
Length Thru Bore	2.937 Inch 74.6 Millimeter
Outside Diameter	4.921 Inch 125 Millimeter
Outer Race Width	1.299 Inch 33 Millimeter
Bore	2.756 Inch 70 Millimeter
bore diameter:	70 mm
fillet radius:	2 mm
outside diameter:	125 mm
radial dynamic load capacity:	62000 N
outer ring width:	33 mm
radial static load capacity:	44000 N
inner ring width:	74.6 mm
bearing material:	Through Hardened Steel
bore type:	Round
finish/coating:	Uncoated
locking device:	Set Screw Collar
maximum rpm:	2300 RPM



NRAT BEARING CO.,LTD.

duty type:	Standard Duty
seal type:	Contact
overall width:	74.60 mm
series:	UC2
operating temperature range:	-40 to 120 ° C
manufacturer product page:	Click here