



NRAT BEARING CO.,LTD.

80,000 mm x 140,000 mm x 82,6 mm NTN
UC216D1 JAPAN Bearing 80X140X82.6



Bearing No. UC216D1

UC216D1 Bearing 2D drawings and 3D CAD models

Size	80x140x82.6 mm
Bore Diameter	80,000 mm
Outer Diameter	140,000 mm
Width	82,6 mm
d	80,000 mm
D	140,000 mm
B	82,6 mm
C	35 mm
Category	Insert Bearings Spherical OD
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	2.78
EAN	4547359233087
Product Group	M06110
Inner Race Profile	Wide Inner Ring
Outer Race Profile	Spherical
Relubricatable	Yes
Seal Type	Single Lip Land Riding
Mounting Method	Set Screw
Rolling Element	Ball Bearing
Snap Ring	No
Long Description	80MM Bore; Wide Inner Ring; Ball Bearing; 82.6MM Length Thru Bore; 35MM Outer Race Width; 140MM



NRAT BEARING CO.,LTD.

	Outside Diameter; Relubricatable; Single Lip Land Riding Seal; Set Screw Mounting Method; No Snap Ring
Inch - Metric	Metric
Other Features	Single Row Light Duty Steel Cage Has Flinger Metric
Category	Insert Bearings
UNSPSC	31171536
Harmonized Tariff Code	8482.10.50.00
Noun	Bearing
Keyword String	Insert
Manufacturer URL	http://www.ntnamerica.com
Manufacturer Item Number	UC216D1
Weight / LBS	6.129
Outside Diameter	5.512 Inch 140 Millimeter
Bore	3.15 Inch 80 Millimeter
Length Thru Bore	3.252 Inch 82.6 Millimeter
Outer Race Width	1.378 Inch 35 Millimeter
bore diameter:	80 mm
fillet radius:	2.5 mm
outside diameter:	140 mm
radial dynamic load capacity:	72500 N
outer ring width:	35 mm
radial static load capacity:	53000 N
inner ring width:	82.6 mm
bearing material:	Through Hardened Steel
bore type:	Round
finish/coating:	Uncoated
locking device:	Set Screw Collar
maximum rpm:	2000 RPM



NRAT BEARING CO.,LTD.

duty type:	Standard Duty
seal type:	Contact
overall width:	82.60 mm
series:	UC2
operating temperature range:	-40 to 120 ° C
manufacturer product page:	Click here